



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2020/878 and  
Regulation (EC) No. 1272/2008

Issuing Date 13-Mar-2024

Revision Date 13-Mar-2024

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code(s)** 1701; 1701-1; 1705; 1715; 1755  
**Product Name** Detergent 8  
**Unique Formula Identifier (UFI)** A390-Y0UK-C000-5HUA  
**Synonyms** None  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Cleaning agent; Detergent  
**Uses advised against** Do not mix with other detergents unless otherwise specified

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Alconox Inc.  
30 Glenn St., Suite 309  
White Plains, NY 10603 USA  
914-948-4040

#### For further information, please contact

**E-mail address** cleaning@alconox.com

### 1.4. Emergency telephone number

**Emergency telephone** ChemTel Inc.: North America: 1-888-255-3924  
International: +1-813-248-0573

**Emergency telephone - §45 - (EC)1272/2008**

**Europe** 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

<b>Skin corrosion</b>	Category 1 Sub-category B - (H314)
<b>Serious eye damage</b>	Category 1 - (H318)
<b>Chronic aquatic toxicity</b>	Category 3 - (H412)

### 2.2. Label elements

Contains Monoisopropanol amine

(M)SDS Number UL-NOX-004



**Signal word**  
Danger

**Hazard statements**

H314 - Causes severe skin burns and eye damage.  
H412 - Harmful to aquatic life with long lasting effects.

**Precautionary Statements - EU (§28, 1272/2008)**

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 - Wear protective gloves/protective clothing and eye/face protection.  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor.  
P321 - Specific treatment (see information on this label).

**Unknown acute toxicity**

82 % of the mixture consists of ingredient(s) of unknown acute toxicity.

**Unknown aquatic toxicity**

Contains 0 % of components with unknown hazards to the aquatic environment.

**Additional information**

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

**2.3. Other hazards**

**Other hazards**

No information available.

**PBT & vPvB**

None known

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Monoisopropanol amine 78-96-6	30-60	No data available	201-162-7 (603-082-00-1)	Skin Corr. 1B (H314)	-	-	-
2-Butoxyethanol 111-76-2	5-10	No data available	203-905-0 (603-014-00-0)	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Skin Irrit. 2	-	-	-

**(M)SDS Number** UL-NOX-004

				(H315) Eye Irrit. 2 (H319)			
--	--	--	--	----------------------------------	--	--	--

**Full text of H- and EUH-phrases: see section 16**

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Monoisopropanol amine 78-96-6	1715	No data available	No data available	No data available	No data available
2-Butoxyethanol 111-76-2	1200+ 470	435	No data available	3+ 2.1749 2.3489	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation.
<b>Effects of Exposure</b>	No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

(M)SDS Number UL-NOX-004

**Note to doctors**

Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

No information available.

**5.2. Special hazards arising from the substance or mixture****Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

**Hazardous combustion products**

Thermal decomposition can lead to release of irritating gases and vapours. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**5.3. Advice for firefighters****Special protective equipment and precautions for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other information**

Refer to protective measures listed in Sections 7 and 8.

**For emergency responders**

Use personal protection recommended in Section 8.

**6.2. Environmental precautions****Environmental precautions**

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

**6.3. Methods and material for containment and cleaning up****Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections****Reference to other sections**

See section 8 for more information See section 13 for more information

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat,

(M)SDS Number UL-NOX-004

drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations**

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

**7.2. Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Storage class (TRGS 510)**

LGK 8A.

**7.3. Specific end use(s)****Specific use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL 40 ppm STEL 200 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 100 mg/m <sup>3</sup> Sk* Ceiling: 200 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup> STEL: 50 ppm Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk* S+	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> Sk*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Monoisopropanol amine 78-96-6	-	TWA: 2 ppm TWA: 5.8 mg/m <sup>3</sup>	-	-	-
2-Butoxyethanol 111-76-2	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup> Sk*	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup> Peak: 20 ppm Peak: 98 mg/m <sup>3</sup> Sk*	TWA: 25 ppm TWA: 120 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 97 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 20 ppm STEL: 100 mg/m <sup>3</sup> Sk*
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20.4 ppm TWA: 100 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 20 ppm STEL: 75 mg/m <sup>3</sup> Sk*	TWA: 98 mg/m <sup>3</sup> STEL: 200 mg/m <sup>3</sup> Sk*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Monoisopropanol amine 78-96-6	-	-	-	TWA: 5.8 mg/m <sup>3</sup> TWA: 2 ppm	-

				STEL: 4 ppm STEL: 11.6 mg/m <sup>3</sup>	
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> Sk* Ceiling: 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 245 mg/m <sup>3</sup> Sk*
Chemical name	Sweden		Switzerland	United Kingdom	
2-Butoxyethanol 111-76-2	NGV: 10 ppm NGV: 50 mg/m <sup>3</sup> Bindande KGV: 50 ppm Bindande KGV: 246 mg/m <sup>3</sup> Sk*		TWA: 10 ppm TWA: 49 mg/m <sup>3</sup> STEL: 20 ppm STEL: 98 mg/m <sup>3</sup> Sk*		TWA: 25 ppm TWA: 123 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup> Sk*

## Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
2-Butoxyethanol 111-76-2	-	-	-	-	200 mg/g Creatinine (urine - Butoxyacetic acid end of shift at end of workweek) 0.17 mmol/mmol Creatinine (urine - Butoxyacetic acid end of shift at end of workweek)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
2-Butoxyethanol 111-76-2	-	-	-	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
2-Butoxyethanol 111-76-2	-	200 mg/g Creatinine (urine - end of shift)	-	200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
2-Butoxyethanol 111-76-2	150 mg/g Creatinine - urine (Butoxyacetic acid (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	200 mg/g Creatinine (urine - Butoxyacetic acid (with hydrolysis) end of shift)	150 mg/g creatinine (urine - 2-Butoxyacetic acid (after hydrolysis) end of shift, and after several shifts (for long-term exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift	

## Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
---------------	------	--------	------------

(M)SDS Number UL-NOX-004

Chemical name	Oral	Dermal	Inhalation
Monoisopropanol amine 78-96-6	-	-	3.6 mg/m <sup>3</sup> [4] [6]
2-Butoxyethanol 111-76-2	-	125 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	98 mg/m <sup>3</sup> [4] [6] 1091 mg/m <sup>3</sup> [4] [7] 246 mg/m <sup>3</sup> [5] [7]

**Notes**

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

**Derived No Effect Level (DNEL) - General Public**

Chemical name	Oral	Dermal	Inhalation
Monoisopropanol amine 78-96-6	0.76 mg/kg bw/day [4] [6]	-	-
2-Butoxyethanol 111-76-2	6.3 mg/kg bw/day [4] [6] 26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	59 mg/m <sup>3</sup> [4] [6] 426 mg/m <sup>3</sup> [4] [7] 147 mg/m <sup>3</sup> [5] [7]

**Notes**

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

**Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Monoisopropanol amine 78-96-6	0.0327 mg/L	0.327 mg/L	0.00327 mg/L	-	-
2-Butoxyethanol 111-76-2	8.8 mg/L	26.4 mg/L	0.88 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Monoisopropanol amine 78-96-6	0.229 mg/kg sediment dw	0.0229 mg/kg sediment dw	3.3 mg/L	0.0265 mg/kg soil dw	-
2-Butoxyethanol 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food

**8.2. Exposure controls****Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Personal protective equipment****Eye/face protection**

Tight sealing safety goggles. Face protection shield.

**Hand protection**

Wear suitable gloves. Impervious gloves.

**Skin and body protection**

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are

**(M)SDS Number** UL-NOX-004

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance**  
**Physical state** Liquid  
**Colour** Clear to Olive green  
**Odour** No information available  
**Odour threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>		No data available
<b>Initial boiling point and boiling range</b>		No data available
<b>Flammability</b>		No data available
<b>Flammability Limit in Air</b>		
<b>Upper flammability or explosive limits</b>		No data available
<b>Lower flammability or explosive limits</b>		No data available
<b>Flash point</b>		No data available
<b>Autoignition temperature</b>		No data available
<b>Decomposition temperature</b>		No data available
<b>pH</b>		No data available
<b>pH (as aqueous solution)</b>	11	solution (1 %)
<b>Kinematic viscosity</b>		No data available
<b>Dynamic viscosity</b>		No data available
<b>Water solubility</b>	Soluble in water	No data available
<b>Solubility(ies)</b>		No data available
<b>Partition coefficient</b>		No data available
<b>Vapour pressure</b>		No data available
<b>Relative density</b>		No data available
<b>Bulk density</b>		No data available
<b>Liquid Density</b>		No data available
<b>Relative vapour density</b>		No data available
<b>Particle characteristics</b>		
<b>Particle Size</b>		No data available
<b>Particle Size Distribution</b>		No data available

### 9.2. Other information

**VOC** 70% as concentrate

9.2.1. Information with regards to physical hazard classes  
 Not applicable

9.2.2. Other safety characteristics  
 No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** None under normal use conditions.

### 10.2. Chemical stability

**(M)SDS Number** UL-NOX-004



**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**10.4. Conditions to avoid**

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**10.5. Incompatible materials**

**Incompatible materials** Acids. Bases. Oxidising agent.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** None known based on information supplied.

## SECTION 11: Toxicological information

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Acute toxicity**

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document:

**ATEmix (oral)** 3,499.70 mg/kg

**ATEmix (dermal)** 2,820.50 mg/kg

**(M)SDS Number** UL-NOX-004

**Unknown acute toxicity****Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Monoisopropanol amine	= 1715 mg/kg ( Rat )	-	-
2-Butoxyethanol	= 470 mg/kg ( Rat )	= 435 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h = 486 ppm ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
<b>Respiratory or skin sensitisation</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	Based on available data, the classification criteria are not met.
<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

**11.2.2. Other information**

**Other adverse effects** No information available.

**SECTION 12: Ecological information****12.1. Toxicity**

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Unknown aquatic toxicity** Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Monoisopropanol amine 78-96-6	EC50: =23mg/L (72h, Desmodesmus subspicatus)	LC50: 2390 - 2650mg/L (96h, Pimephales promelas)	-	EC50: =108.82mg/L (48h, Daphnia magna Straus)
2-Butoxyethanol 111-76-2	-	LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)	-	EC50: >1000mg/L (48h, Daphnia magna)

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**(M)SDS Number** UL-NOX-004

**12.3. Bioaccumulative potential****Bioaccumulation****Component Information**

Chemical name	Partition coefficient
Monoisopropanol amine	-0.94
2-Butoxyethanol	0.81

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Monoisopropanol amine 78-96-6	The substance is not PBT / vPvB
2-Butoxyethanol 111-76-2	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

**12.7. Other adverse effects**

**Other adverse effects** No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**Waste codes / waste designations according to EWC / AVV** According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**SECTION 14: Transport information****IMDG**

<b>14.1 UN number or ID number</b>	UN1760
<b>14.2 UN proper shipping name</b>	CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine)
<b>14.3 Transport hazard class(es)</b>	8
<b>14.4 Packing group</b>	II
<b>Description</b>	UN1760, CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine), 8, II
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Precautions for Users</b>	
<b>Special Provisions</b>	274
<b>EmS-No.</b>	F-A, S-B
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	No information available

**RID**

**(M)SDS Number** UL-NOX-004

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine), 8, II
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C9

**ADR**

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine), 8, II
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C9
Tunnel restriction code	(E)

**ADN**

14.1 UN/ID no	UN1760
14.2 EPNN	CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (Monoisopropanol amine), 8, II
14.5 Environmental hazard	Not applicable
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C9
Equipment Requirements	PP, EP

**IATA**

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	Corrosive liquid, n.o.s. (Monoisopropanol amine)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, Corrosive liquid, n.o.s. (Monoisopropanol amine), 8, II
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	A3, A803
ERG Code	8L
Note:	None

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
2-Butoxyethanol 111-76-2	RG 84

**European Union****(M)SDS Number** UL-NOX-004

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Monoisopropanol amine - 78-96-6	Use restricted. See entry 75.	-
2-Butoxyethanol - 111-76-2	Use restricted. See entry 75.	-

#### Persistent Organic Pollutants

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### International Inventories

Contact supplier for inventory compliance status

#### 15.2. Chemical safety assessment

##### Chemical Safety Report

No information available

### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

##### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H331 - Toxic if inhaled

##### Legend

SVHC: Substances of Very High Concern for Authorisation:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity  
ATE: Acute Toxicity Estimate  
LC50: 50% Lethal Concentration  
LD50: 50% Lethal Dose

##### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
SCBA	Self-contained breathing apparatus		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method

Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
 Organisation for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Issuing Date** 13-Mar-2024

**Revision Date** 13-Mar-2024

**Revision Note** Initial Release.

**This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006**

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**