

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Revision date 26-Mar-2024 Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code(s)** 2405; 2415; 2455; 24265

Product Name Keylajet® Low-Foaming Chelating Alkaline Detergent

Unique Formula Identifier (UFI) UC90-G0WS-800G-5JM3

Synonyms None

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent; Detergent

Uses advised against Do not mix with other detergents unless otherwise specified

### 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

Alconox Inc. 30 Glenn St., Suite 309 White Plains, NY 10603 USA 914-948-4040

### For further information, please contact

E-mail address cleaning@alconox.com

### 1.4. Emergency telephone number

Emergency telephone ChemTel Inc.: North America: 1-888-255-3924

International: +1-813-248-0573

Emergency telephone - §45	- (EC)1272/2008	
Europe	112	

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion	Category 1 Sub-category B - (H314)
Serious eye damage	Category 1 - (H318)

#### 2.2. Label elements

Contains Potassium hydroxide; Sodium hydroxide; Tetrasodium EDTA; Octenylsuccinic acid



Signal word Danger

#### **Hazard statements**

H314 - Causes severe skin burns and eye damage.

### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust, fume, gas, mist, vapors and spray.

P280 - Wear protective gloves/protective clothing and eye/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Revision date: 26-Mar-2024

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see .? on this label).

#### **Additional information**

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

Other hazards No information available.

PBT & vPvB The product does not contain any substance(s) classified as PBT or vPvB

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
Potassium hydroxide 1310-58-3	10-30	01-2119487136- 33-XXXX		Acute Tox. 4 (H302) Skin Corr. 1A (H314)	,		-	-
Sodium hydroxide 1310-73-2	3-7	No data available	215-185-5 (011-002-00-6)	Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.5%<=C<2% Skin Corr. 1A		-	-

(M)SDS Number UL-NOX-012 Page 2 / 17

					:: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%			
Tetrasodium EDTA 64-02-8	3-7	No data available	200-573-9 (607-428-00-2)	Acute Tox. 4 (H302) Eye Dam. 1 (H318)	-	-	-	-
Octenylsuccinic acid 28805-58-5	1-5	No data available	249-244-1	Skin Corr. 1 (H314) Eye Dam. 1 (H318)	-	-	-	-
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide 68610-44-6		No data available	271-865-1	No data available	-	-	-	-

### Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Potassium hydroxide 1310-58-3	284	No data available	No data available	No data available	No data available
Sodium hydroxide 1310-73-2	325	1350	No data available	No data available	No data available
Tetrasodium EDTA 64-02-8	1658	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice	Immediate medical attention is re	quired. Show this safet	y data sheet to the doctor in
----------------	-----------------------------------	-------------------------	-------------------------------

attendance.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Revision date: 26-Mar-2024

Wear personal protective clothing (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Effects of Exposure No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible

perforation of stomach or esophagus should be investigated. Do not give chemical

antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

surrounding environment.

**Unsuitable extinguishing media** No information available.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information See section 13 for more information

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before

Revision date: 26-Mar-2024

reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Storage class (TRGS 510) LGK 8A.

7.3. Specific end use(s)

**Specific use(s)** The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Potassium hydroxide	-	TWA-TMW:	-	TWA: 2.0 mg/m <sup>3</sup> ;	STEL-KGVI: 2
1310-58-3		2 mg/m <sup>3</sup> ; inhalable			mg/m³;
		fraction			
Sodium hydroxide	-	TWA-TMW:	TWA: 2 mg/m <sup>3</sup> ;	TWA: 2.0 mg/m <sup>3</sup> ;	STEL-KGVI: 2
1310-73-2		2 mg/m <sup>3</sup> ; inhalable		alkaline aerosols	mg/m³;
		fraction			
		STEL-KZGW: 4			
		mg/m³ (8 X 5 min);			
		inhalable fraction			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Potassium hydroxide	-	TWA: 1 mg/m <sup>3</sup> ;	STEL: 2 mg/m <sup>3</sup> ;	TWA: 2 mg/m <sup>3</sup> ;	Ceiling: 2 mg/m <sup>3</sup> ;
1310-58-3		Ceiling: 2 mg/m <sup>3</sup> ;		•	
Sodium hydroxide	-	TWA: 1 mg/m <sup>3</sup> ;	Ceiling: 2 mg/m <sup>3</sup> ;	TWA: 1 mg/m <sup>3</sup> ;	Ceiling: 2 mg/m <sup>3</sup> ;
1310-73-2		Ceiling: 2 mg/m <sup>3</sup> ;		STEL: 2 mg/m <sup>3</sup> ;	

Chemical name		France	Germany TRGS	Germany DFG	Gı	eece	Hungary
Potassium hydroxide	ST	EL-VLCT: 2	-	-		2 mg/m³;	TWA-AK: 2 mg/m <sup>3</sup> ;
1310-58-3		mg/m³;				2 mg/m <sup>3</sup> ;	STEL-CK: 2 mg/m <sup>3</sup> ;
Sodium hydroxide	TWA-	VME: 2 mg/m <sup>3</sup> ;	-	-		2 mg/m³;	TWA-AK: 1 mg/m <sup>3</sup> ;
1310-73-2					STEL:	2 mg/m <sup>3</sup> ;	STEL-CK: 2 mg/m <sup>3</sup> ;
Chemical name		Ireland	Italy MDLPS	Italy AIDII	L	atvia	Lithuania
Potassium hydroxide 1310-58-3		EL: 2 mg/m³;	1	Ceiling: 2 mg/m <sup>3</sup> ;		-	-
Sodium hydroxide 1310-73-2	STE	EL: 2 mg/m³;	-	Ceiling: 2 mg/m <sup>3</sup> ;	TWA: (	).5 mg/m³;	Ceiling (NRD): 2 mg/m³;
Chemical name	Lι	ıxembourg	Malta	Netherlands	No	orway	Poland
Potassium hydroxide		-	-	-	Ceiling	: 2 mg/m³;	TWA-NDS: 0.5
1310-58-3							mg/m³; STEL-NDSCh: 1 mg/m³;
Sodium hydroxide		-	-	-	Ceiling	: 2 mg/m³;	TWA-NDS: 0.5
1310-73-2							mg/m³;
							STEL-NDSCh: 1
							mg/m³;
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Potassium hydroxide	Ceilin	g (VLE-CM): 2	TWA: 1 mg/m <sup>3</sup> ;	-		-	STEL (VLA-EC): 2
1310-58-3		mg/m³;	STEL: 3 mg/m <sup>3</sup> ;				mg/m³;
Sodium hydroxide	Ceilin	g (VLE-CM): 2	TWA: 1 mg/m <sup>3</sup> ;	TWA: 2 mg/m <sup>3</sup> ;		-	STEL (VLA-EC): 2
1310-73-2		mg/m³;	STEL: 3 mg/m <sup>3</sup> ;				mg/m³;
Chemical name		Sv	veden	Switzerland			ited Kingdom
Potassium hydroxid	е	TLV-NGV: 1	mg/m³; inhalable	STEL-KZGW: 2 n	ng/m³;	ST	EL: 2 mg/m <sup>3</sup> ;
1310-58-3		fra	action	inhalable dus	st		
		STEL (Bindand	de KGV): 2 mg/m³;				
			ole fraction				
Sodium hydroxide		TLV-NGV: 1	mg/m <sup>3</sup> ; inhalable	TWA-MAK: 2 mg/m <sup>3</sup> ;	inhalable	ST	EL: 2 mg/m³;
1310-73-2			action	dust			
		`	de KGV): 2 mg/m³;		STEL-KZGW: 2 mg/m <sup>3</sup> ;		
			ole fraction	inhalable dus	st		
2-Propenoic acid, methyl			-	S			-
reaction products with							
2-ethyl-1-hexanamine	and						
sodium hydroxide							
68610-44-6							

### **Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

# Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Potassium hydroxide 1310-58-3	-	-	1 mg/m³ [5] [6]
Sodium hydroxide 1310-73-2	-	-	1 mg/m³ [5] [6]
Tetrasodium EDTA 64-02-8	•	•	1.5 mg/m³ [4] [6] 3 mg/m³ [4] [7] 1.5 mg/m³ [5] [6] 3 mg/m³ [5] [7]

### **Notes**

[4] Systemic health effects.[5] Local health effects.

[6] Long term.

### Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Potassium hydroxide 1310-58-3	-	-	1 mg/m³ [5] [6]
Sodium hydroxide 1310-73-2	-	-	1 mg/m³ [5] [6]
Tetrasodium EDTA 64-02-8	25 mg/kg bw/day [4] [6]	-	0.6 mg/m³ [5] [6] 1.2 mg/m³ [5] [7]

Revision date: 26-Mar-2024

**Notes** 

[4] Systemic health effects.[5] Local health effects.[6] Long term.

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
Tetrasodium EDTA 64-02-8	2.83 mg/L	1 mg/L	0.283 mg/L	1 mg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Tetrasodium EDTA 64-02-8	-	-	50 mg/L	1.1 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment

Eye/face protection Eye protection must conform to standard EN 166. Tight sealing safety goggles. Face

protection shield.

**Hand protection** Gloves must conform to standard EN 374. Wear suitable gloves. Impervious gloves.

Skin and body protection (EN ISO 6529). Wear suitable protective clothing. Long sleeved clothing. Chemical resistant

apron.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Transparent, Light yellow liquid

Physical state Liquid

ColourNo information availableOdourNo information availableOdour thresholdNo information available

Property Values Remarks • Method

Melting point / freezing pointNo data availableBoiling point or initial boiling pointNo data available

and boiling range

Flammability No data available

Lower and upper explosion limit/flammability limit Upper explosion limit

No data available Lower explosion limit No data available > 200 °C No data available Flash point **Autoignition temperature** No data available **Decomposition temperature** No data available SADT (°C) No data available pН 13 1% aqueous solution pH (as aqueous solution) No data available No data available Kinematic viscosity No data available **Dynamic viscosity** 

Solubility No data available Partition coefficient n-octanol/water No data available

Soluble in water

(log value)

Water solubility

Vapour pressureNo data availableDensity and/or relative densityNo data availableBulk densityNo data availableLiquid DensityNo data availableRelative vapour densityNo data available

Relative vapour density
Particle characteristics

Particle SizeNo data availableParticle Size DistributionNo data available

9.2. Other information

Molecular weight No information available

VOC content 0%

Softening point No information available

9.2.1. Information with regards to physical hazard classes

**Explosives** 

Explosive properties No information available Oxidising properties No information available

9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

**Incompatible materials** Acids. Bases. Oxidising agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

**Skin contact** On basis of test data: Specific test data for the substance or mixture is not available.

Corrosive. (based on components). Causes burns.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity Based on available data, the classification criteria are not met.

**Numerical measures of toxicity** 

The following ATE values have been calculated for the mixture:

ATEmix (dermal) 12,305.10 mg/kg ATEmix (inhalation-dust/mist) 15.70 mg/l

**Oral LD50** > 5000 mg/kg

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide	= 284 mg/kg (Rat)	-	-
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Tetrasodium EDTA	= 1658 mg/kg (Rat)	-	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation On basis of test data: Classification based on data available for ingredients. Causes severe

skin burns and eye damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met

#### 11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Ecotoxicity**

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
Γ	Sodium hydroxide	-	LC50: =45.4mg/L (96h,	-	-
L	1310-73-2		Oncorhynchus mykiss)		
Γ	Tetrasodium EDTA	-	LC50: =41mg/L (96h,	-	-
	64-02-8		Lepomis macrochirus)		
L			LC50: =59.8mg/L (96h,		

Pimephales promelas)

### 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

e disperient information	
Chemical name	Partition coefficient
Potassium hydroxide	0.83
2-Propenoic acid, methyl ester, reaction products with	-0.77
2-ethyl-1-hexanamine and sodium hydroxide	

### 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Potassium hydroxide	Not PBT/vPvB
1310-58-3	
Sodium hydroxide	Not PBT/vPvB
1310-73-2	
Tetrasodium EDTA	Not PBT/vPvB
64-02-8	
2-Propenoic acid, methyl ester, reaction products with	Not PBT/vPvB
2-ethyl-1-hexanamine and sodium hydroxide	
68610-44-6	

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

### 12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

Waste codes / waste designations According to the European Waste Catalogue, Waste Codes are not product specific, but

(M)SDS Number UL-NOX-012

according to EWC / AVV application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

# **SECTION 14: Transport information**

IATA

**14.1 UN number or ID number** UN1760

**14.2 UN proper shipping name** Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hydroxide)

IATA Technical Name Potassium hydroxide, Sodium hydroxide

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions A3, A803 ERG Code 8L

**Description** UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hydroxide), 8, II

**IMDG** 

**14.1 UN number or ID number** UN1760

**14.2 UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Marine pollutant indicator
14.6 Special precautions for user

Special Provisions 274
EmS-No. F-A, S-B

Description UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide), 8, II

**14.7 Maritime transport in bulk** No information available

according to IMO instruments

RID

**14.1 UN number or ID number** UN1760

**14.2 UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide)

14.3 Transport hazard class(es) 8
14.4 Packing group ||

**Description** UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide), 8, II

14.5 Environmental hazards No

14.6 Special precautions for user

**Special Provisions** 274 **Classification code** C9

**ADR** 

14.1 UN number or ID number UN1760

**14.2 UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide)

14.3 Transport hazard class(es) 814.4 Packing group | |

**Description** UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide), 8, II

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions 274
Classification code C9
Tunnel restriction code (E)

ADN\_

**14.1 UN number or ID number** UN1760

**14.2 UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide)

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hydroxide), 8, II

14.5 Environmental hazard No14.6 Special precautions for user

Special Provisions 274
Classification code C9
Equipment Requirements PP, EP

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Chemical Prohibition Ordinance

(ChemVerbotsV)

Not applicable

TRGS 905 Not applicable

#### **Switzerland**

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018
Storage of Hazardous Material
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20
Major Accidents Ordinance SR 814.012
Not applicable

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

	(= 0) 1101	( ) = ( ) = ( ) = ( ) ( ) ( ) ( ) ( ) (
Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Potassium hydroxide - 1310-58-3	75	-
Sodium hydroxide - 1310-73-2	75.	-
Tetrasodium EDTA - 64-02-8	75	-

### **Persistent Organic Pollutants**

Not applicable

### Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

### **Explosives Precursors Marketing and Use (2019/1148)**

Not applicable

### **International Inventories**

Contact supplier for inventory compliance status

(M)SDS Number UL-NOX-012

#### 15.2. Chemical safety assessment

Chemical Safety Report No information available

### **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves, protective clothing, eye protection and face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P321 - Specific treatment (see supplemental first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Legend

Legena		
ACGIH	American Conference of Governmental Industrial Hygienists	
AIDII	Italian Association of Industrial Hygienists	
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
	(Europe)	
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)	
AIIC	Australian Inventory of Industrial Chemicals	
ATE	Acute Toxicity Estimate	
ASTM	American Society for the Testing of Materials	
bar	Biological Reference Values for Chemical Compounds in the Work Area	
BAT	Biological tolerance values for occupational exposure	
BEL	Biological exposure limits	
bw	Body weight	
Ceiling	Maximum limit value	
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008	
CMR	Carcinogen, Mutagen or Reproductive Toxicant	
DFG	German Research Foundation	
DOT	Department of Transportation (United States)	
DSL	Domestic Substances List (Canada)	
ECHA	European Chemicals Agency	
EC Number	European Community number	
EmS	Emergency Schedule	
ENCS	Existing and New Chemical Substances (Japan)	
EPA	Environmental Protection Agency	
EWC	European Waste Codes	
GHS	Globally Harmonized System	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous	
	Chemicals in Bulk	

ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observed Adverse Effect Level  No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	
	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	
	Respiratory Sensitiser
S	Sensitives accepted of acceptance acceptance
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation

dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	On basis of test data	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	On basis of test data	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Chronic aquatic toxicity	Calculation method	
Acute aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date26-Mar-2024Revision date26-Mar-2024Revision NoteInitial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

(M)SDS Number UL-NOX-012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**