

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2020/878 and Regulation (EC) No. 1272/2008

Issuing Date 21-Feb-2024 Revision Date 21-Feb-2024 Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

**Product Code(s)** 1601; 1601-1; 1605; 1615; 1630; 1655

Product Name Detojet® Low-Foaming Liquid Detergent

Unique Formula Identifier (UFI) V590-G0HY-N00G-UVEA

Synonyms None

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent; Detergent

Uses advised against Do not mix with other detergents unless otherwise specified

### 1.3. Details of the supplier of the safety data sheet

# Supplier

Alconox, LLC 30 Glenn St., Suite 309 White Plains, NY 10603 USA 914-948-4040

# For further information, please contact

E-mail address cleaning@alconox.com

# 1.4. Emergency telephone number

Emergency telephone ChemTel Inc.: North America: 1-888-255-3924

International: +1-813-248-0573

Emergency telephone - 945 - (EC)12	272/2008
Europe	112

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 1 - (H410)

# 2.2. Label elements

Contains Potassium hydroxide; Sodium silicate

(M)SDS Number UL-NOX-014



### Signal word Danger

#### **Hazard statements**

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

EUH031 - Contact with acids liberates toxic gas

### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing and eye/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P391 - Collect spillage.

### Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Revision Date: 21-Feb-2024

#### **Additional information**

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

# 2.3. Other hazards

Toxic to aquatic life.

The product does not contain any substance(s) classified as PBT or vPvB.

**Endocrine Disruptor Information**This product does not contain any known or suspected endocrine disruptors.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Potassium hydroxide 1310-58-3	10-30	01-211948713 6-33-XXXX	215-181-3 (019-002-00-8)	` ,	Eye Irrit. 2 :: 0.5%<=C<2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5%		-

(M)SDS Number UL-NOX-014 Page 2 / 15

					Skin Irrit. 2 :: 0.5%<=C<2%		
Sodium silicate 1344-09-8	5-15	No data available	215-687-4	No data available	-	-	-
Sodium hypochlorite 7681-52-9	1-5	No data available	231-668-3 (017-011-00-1)	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH031)	-	10	1

#### Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Potassium hydroxide 1310-58-3	284	No data available	No data available	No data available	No data available
Sodium silicate 1344-09-8	1960	No data available	No data available	No data available	No data available
Sodium hypochlorite 7681-52-9	8910	20000	2.625	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in
----------------	---

attendance.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

(M)SDS Number UL-NOX-014

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Revision Date: 21-Feb-2024

Wear personal protective clothing (see section 8).

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

**Effects of Exposure** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

**Hazardous combustion products** Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information See section 13 for more information

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

Revision Date: 21-Feb-2024

reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Storage class (TRGS 510) Storage class 8A.

7.3. Specific end use(s)

**Specific use(s)** The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Potassium hydroxide 1310-58-3	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 2.0 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Potassium hydroxide 1310-58-3	-	TWA: 1 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Potassium hydroxide 1310-58-3	STEL: 2 mg/m <sup>3</sup>	-	-	TWA: 2 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³ STEL: 2 mg/m³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Potassium hydroxide 1310-58-3	STEL: 2 mg/m <sup>3</sup>	-	Ceiling: 2 mg/m <sup>3</sup>	-	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Potassium hydroxide	-	-	-	Ceiling: 2 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

1310-58-3							STEL: 1 mg/m <sup>3</sup>
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Potassium hydroxide 1310-58-3	Ceil	ing: 2 mg/m³	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	-		-	STEL: 2 mg/m <sup>3</sup>
Chemical name		Sı	weden	Switzerland		Uni	ited Kingdom
Potassium hydroxide 1310-58-3	Э	NGV: 1 mg/m³ Bindande KGV: 2 mg/m³		TWA: 2 mg/m <sup>3</sup>	3	ST	EL: 2 mg/m <sup>3</sup>

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

# Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Potassium hydroxide 1310-58-3	-	-	1 mg/m³ [5] [6]
Sodium silicate 1344-09-8	-	1.59 mg/kg bw/day [4] [6]	5.61 mg/m³ [4] [6]
Sodium hypochlorite 7681-52-9	-	0.5 % in mixture (weight basis) [5] [6]	1.55 mg/m³ [4] [6] 3.1 mg/m³ [4] [7] 1.55 mg/m³ [5] [6] 3.1 mg/m³ [5] [7]

**Notes** 

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

# Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Potassium hydroxide 1310-58-3	-	-	1 mg/m³ [5] [6]
Sodium silicate 1344-09-8	0.8 mg/kg bw/day [4] [6]	-	1.38 mg/m³ [4] [6]
Sodium hypochlorite 7681-52-9	0.26 mg/kg bw/day [4] [6]	0.5 % in mixture (weight basis) [5] [6]	1.55 mg/m³ [4] [6] 3.1 mg/m³ [4] [7] 1.55 mg/m³ [5] [6] 3.1 mg/m³ [5] [7]

**Notes** 

[4]Systemic health effects.[5]Local health effects.[6]Long term.[7]Short term.

### **Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Sodium silicate 1344-09-8	7.5 mg/L	7.5 mg/L	1 mg/L	-	-
Sodium hypochlorite 7681-52-9	0.21 μg/L	0.26 μg/L	0.042 μg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Sodium silicate 1344-09-8	-	-	348 mg/L	-	-
Sodium hypochlorite 7681-52-9	-	-	4.69 mg/L	-	11.1 mg/kg food

#### 8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield. Eye protection must conform to

standard EN 166.

**Hand protection** Wear suitable gloves. Impervious gloves. Gloves must conform to standard EN 374.

**Skin and body protection** Wear suitable protective clothing (EN ISO 6529). Long sleeved clothing. Chemical resistant

apron.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Revision Date: 21-Feb-2024

**Environmental exposure controls** No information available.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Clear liquid Physical state Liquid

ColorClear to slight yellowOdorNo information availableOdor thresholdNo information available

Property Values Remarks • Method

Melting point / freezing point
Initial boiling point and boiling range
No data available
No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 200 °C

Autoignition temperature No data available

Decomposition temperature
pH

No data available
1% agueous solution

pH (as aqueous solution) No data available No data available Kinematic viscosity **Dynamic viscosity** No data available Water solubility Soluble in water Solubility(ies) No data available Partition coefficient No data available Vapor pressure No data available Relative density No data available **Bulk density** No data available **Liquid Density** No data available No data available

Relative vapor density Particle characteristics

Particle SizeNo data availableParticle Size DistributionNo data available

9.2. Other information

VOC content 0%

# 9.2.1. Information with regard to physical hazard classes

Not applicable

#### 9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods. Incompatible materials.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidizing agent. Reducing agent. Ammonia.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Revision Date: 21-Feb-2024

Pulmonary edema can be fatal.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (dermal) >2000 mg/kg ATEmix (inhalation-dust/mist) >5 mg/l

**Oral LD50** > 500 mg/kg (rat)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide	= 284 mg/kg (Rat)	-	-
Sodium silicate	= 1960 mg/kg (Rat)	-	-
Sodium hypochlorite	= 8.91 g/kg (Rat)	> 20000 mg/kg (Rabbit)	> 10.5 mg/L (Rat)1 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

**Respiratory or skin sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(M)SDS Number UL-NOX-014 Page 9 / 15

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard**Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

#### 11.2.2. Other information

Other adverse effects No information available.

# SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life with long lasting effects. Toxic to aquatic life.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium silicate 1344-09-8	-	LC50: 301 - 478mg/L (96h, Lepomis macrochirus) LC50: =3185mg/L (96h, Brachydanio rerio)	-	-
Sodium hypochlorite 7681-52-9	-	LC50: 0.06 - 0.11mg/L (96h, Pimephales promelas) LC50: 4.5 - 7.6mg/L (96h, Pimephales promelas) LC50: 0.4 - 0.8mg/L (96h, Lepomis macrochirus) LC50: 0.28 - 1mg/L (96h, Lepomis macrochirus) LC50: 0.05 - 0.771mg/L (96h, Oncorhynchus mykiss) LC50: 0.03 - 0.19mg/L (96h, Oncorhynchus mykiss) LC50: 0.18 - 0.22mg/L (96h, Oncorhynchus mykiss)	-	EC50: 0.033 - 0.044mg/L (48h, Daphnia magna)

### 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

#### **Component Information**

Chemical name	Partition coefficient
Potassium hydroxide	0.83

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Potassium hydroxide 1310-58-3	The substance is not PBT / vPvB
Sodium silicate 1344-09-8	The substance is not PBT / vPvB
Sodium hypochlorite 7681-52-9	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

#### 12.7. Other adverse effects

Other adverse effects No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

Waste codes / waste designations

according to EWC / AVV

According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

# SECTION 14: Transport information

#### **IMDG**

14.1 UN number or ID number UN1760

14.2 UN proper shipping name

CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite)

14.3 Transport hazard class(es)14.4 Packing group

ll.

Description

UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II,

Marine pollutant

14.5 Environmental hazards Yes
14.6 Special Precautions for Users Special Provisions 274 EmS-No. F-A, S-B

**14.7 Maritime transport in bulk** No information available

according to IMO instruments

RID

14.1 UN number or ID number UN1760

**14.2 UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite)

14.3 Transport hazard class(es)14.4 Packing group

Description UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II,

**Environmentally Hazardous** 

14.5 Environmental hazards Yes

14.6 Special Precautions for Users

Special Provisions 274
Classification code C9

**ADR** 

14.1 UN number or ID number UN1760

**14.2 UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite)

14.3 Transport hazard class(es) 814.4 Packing group | |

**Description** UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II,

**Environmentally Hazardous** 

14.5 Environmental hazards Yes

14.6 Special Precautions for Users

Special Provisions 274
Classification code C9
Tunnel restriction code (E)

<u>IATA</u>

14.1 UN number or ID number UN1760

**14.2 UN proper shipping name** Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hypochlorite)

14.3 Transport hazard class(es) 814.4 Packing group | |

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hypochlorite), 8, II

14.5 Environmental hazards Yes

14.6 Special Precautions for Users

Special ProvisionsA3, A803ERG Code8LNote:None

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Sodium hypochlorite 7681-52-9	RG 65

Water hazard class (WGK) slightly hazardous to water (WGK 1)

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Potassium hydroxide - 1310-58-3	75.	-
Sodium hypochlorite - 7681-52-9	75.	-

#### **Persistent Organic Pollutants**

Not applicable

# Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)	
Sodium hypochlorite - 7681-52-9	Plant protection agent	

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Biocidal Floducts Regulation (EO) No 520/2012 (BFR)		
Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)	
	Product-type 2: Disinfectants and algaecides not intended	
	for direct application to humans or animals Product-type 3:	
	Veterinary hygiene Product-type 4: Food and feed area	
	Product-type 5: Drinking water Product-type 1: Human	
	hygiene Product-type 11: Preservatives for liquid-cooling	
	and processing systems Product-type 12: Slimicides	

#### **International Inventories**

Contact supplier for inventory compliance status

#### 15.2. Chemical safety assessment

Chemical Safety Report No information available

# **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

# Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

SCBA Self-contained breathing apparatus

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	On basis of test data	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 21-Feb-2024

Revision Date 21-Feb-2024

Revision Note Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

(M)SDS Number UL-NOX-014