

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 21-Feb-2024 Revision Date 21-Feb-2024 Revision Number 1

1. Identification

Product identifier

Product Name Detojet® Low-Foaming Liquid Detergent

Other means of identification

Product Code(s) 1601; 1601-1; 1605; 1615; 1630; 1655

UN/ID no UN1760

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Cleaning agent; Detergent

Restrictions on useDo not mix with other detergents unless otherwise specified

Details of the supplier of the safety data sheet

Supplier Address

Alconox, LLC 30 Glenn St., Suite 309 White Plains, NY 10603 USA 914-948-4040

E-mail cleaning@alconox.com

Emergency telephone number

Emergency telephone ChemTel Inc.: North America: 1-888-255-3924

International: +1-813-248-0573

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage.

(M)SDS Number UL-NOX-014



Precautionary Statements - Prevention

Do not breathe dusts or mists.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor. Specific treatment (see supplemental first aid instructions on this label).

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Skir

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower.

Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

Very toxic to aquatic life with long lasting effects. Toxic to aquatic life. Contact with acids liberates toxic gas.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Tetrapotassium pyrophosphate	7320-34-5	5-15	-	-
Potassium hydroxide	1310-58-3	10-30	-	-
Sodium silicate	1344-09-8	5-15	-	-
Sodium hypochlorite	7681-52-9	1-5	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

(M)SDS Number UL-NOX-014

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

Revision Date: 21-Feb-2024

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapors.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

Revision Date: 21-Feb-2024

areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL	NIOSH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m	13	(vacated) Ce	eiling: 2 mg/m³	Ceiling: 2 mg/m ³
Chemical name	Alberta	Britis	h Columbia	Ontario	Quebec
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	Ceili	ng: 2 mg/m³	CEV: 2 mg/r	m³ Ceiling: 2 mg/m³

Chemical name	Manitoba	New Brunswick	Newfoundland and	Nova Scotia
			Labrador	
Potassium hydroxide	Ceiling: 2 mg/m ³			

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Potassium hydroxide	Ceiling: 2 mg/m ³			

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

(M)SDS Number UL-NOX-014 Page 4 / 11

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Revision Date: 21-Feb-2024

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear liquid
Physical state Liquid

Color Clear to slight yellow
Odor No information available
Odor threshold No information available

PropertyValuesRemarks • MethodpH12.41% aqueous solutionMelting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data available

Flash point > 200 °C / > 392.0 °F

Evaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Relative vapor density No data available No data available Relative density Water solubility Soluble in water No data available Solubility(ies) No data available **Partition coefficient Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity No data available

Other information

Explosive propertiesNo information available.Oxidizing propertiesNo information available.Softening pointNo information availableMolecular weightNo information available

VOC content 0%

Liquid Density

No information available

Bulk density

No information available

(M)SDS Number UL-NOX-014 Page 5 / 11

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods. Incompatible materials.

Incompatible materials Acids, Bases, Oxidizing agent, Reducing agent, Ammonia.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Revision Date: 21-Feb-2024

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-dust/mist) >5 mg/l

Oral LD50 > 500 mg/kg (rat)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

(M)SDS Number UL-NOX-014 Page 6 / 11

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrapotassium pyrophosphate	-	> 2000 mg/kg (Rabbit)	> 1.1 mg/L (Rat)4 h
Potassium hydroxide	= 284 mg/kg (Rat)	-	-
Sodium silicate	= 1960 mg/kg (Rat)	-	-
Sodium hypochlorite	= 8.91 g/kg (Rat)	> 20000 mg/kg (Rabbit)	> 10.5 mg/L (Rat)1 h

Revision Date: 21-Feb-2024

Page 7/11

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite	-	Group 3	-	-
7681-52-9				

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrapotassium pyrophosphate 7320-34-5	-	LC50: >100mg/L (96h, Oncorhynchus mykiss)	-	EC50: >100mg/L (48h, water flea)
Sodium silicate 1344-09-8	-	LC50: 301 - 478mg/L (96h, Lepomis macrochirus) LC50: =3185mg/L (96h, Brachydanio rerio)	-	-
Sodium hypochlorite 7681-52-9	-	LC50: 0.06 - 0.11mg/L (96h, Pimephales promelas) LC50: 4.5 - 7.6mg/L (96h, Pimephales promelas) LC50: 0.4 - 0.8mg/L	-	EC50: 0.033 - 0.044mg/L (48h, Daphnia magna)

(M)SDS Number UL-NOX-014

(96h, Lepomis macrochirus) LC50: 0.28 - 1mg/L (96h, Lepomis macrochirus) LC50: 0.05 - 0.771mg/L (96h, Oncorhynchus mykiss) LC50: 0.03 - 0.19mg/L (96h, Oncorhynchus mykiss) LC50: 0.18 - 0.22mg/L (96h, Oncorhynchus mykiss)

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Potassium hydroxide 1310-58-3	0.83

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

California waste information

This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

<u>DOT</u>

UN/ID no UN1760

CORROSIVE LIQUIDS, N.O.S. Proper shipping name

Transport hazard class(es) Packing group Ш

Reportable Quantity (RQ) (Potassium hydroxide: RQ (kg)= 454.00, Sodium hypochlorite: RQ (kg)= 45.40)

Potassium hydroxide: RQ (lb)= 1000.00, Sodium hypochlorite: RQ (lb)= 100.00 Potassium hydroxide: RQ (kg)= 4540.00, Sodium hypochlorite: RQ (kg)= 3026.67

Reportable quantity (kg)

(calculated)

Reportable quantity (lbs) Potassium hydroxide: RQ (lb)= 10000.00, Sodium hypochlorite: RQ (lb)= 6667.00

(calculated)

Special Provisions B2, IB2, T11, TP2, TP27

DOT Marine Pollutant

Description

Emergency Response Guide

Number

UN1760, CORROSIVE LIQUIDS, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II 154

(M)SDS Number UL-NOX-014

TDG

UN1760

Proper shipping name CORROSIVE LIQUID, N.O.S.

Transport hazard class(es) 8
Packing group || Special Provisions 16

Description UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II

ATA

UN number or ID number UN1760

UN proper shipping name Corrosive liquid, n.o.s.

Transport hazard class(es) 8
Packing group | |

IATA Technical Name Potassium hydroxide, Sodium hypochlorite

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hypochlorite), 8, II

Special Provisions A3, A803 ERG Code 8L

IMDG

UN number or ID number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S.

Transport hazard class(es) 8
Packing group | |

IMDG Technical Name Potassium hydroxide, Sodium hypochlorite

Marine pollutant P

Description UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II,

Marine pollutant

Special Provisions 274 **EmS-No.** F-A, S-B

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х
Sodium hypochlorite 7681-52-9	100 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
D.I. Water 7732-18-5	-	-	X
Potassium hydroxide 1310-58-3	Х	X	Х
Sodium hypochlorite 7681-52-9	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 3 Flammability 1 Instability 0 Special hazards - HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

(M)SDS Number UL-NOX-014

Sensitizers

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 21-Feb-2024

Revision Date 21-Feb-2024

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

(M)SDS Number UL-NOX-014