

Issuing Date 21-Feb-2024

Revision Date 21-Feb-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 1601; 1601-1; 1605; 1615; 1630; 1655
Product Name Detojet® Low-Foaming Liquid Detergent
Unique Formula Identifier (UFI) V590-G0HY-N00G-UVEA
Synonyms None
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent; Detergent
Uses advised against Do not mix with other detergents unless otherwise specified

1.3. Details of the supplier of the safety data sheet

Supplier

Alconox Inc.
30 Glenn St., Suite 309
White Plains, NY 10603 USA
914-948-4040

For further information, please contact

E-mail address cleaning@alconox.com

1.4. Emergency telephone number

Emergency telephone ChemTel Inc.: North America: 1-888-255-3924
International: +1-813-248-0573

Emergency telephone - §45 - (EC)1272/2008

Europe | 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elements

Contains Potassium hydroxide; Sodium silicate



Signal word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.
EUH031 - Contact with acids liberates toxic gas

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing and eye/face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P391 - Collect spillage.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.
The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Potassium hydroxide 1310-58-3	10-30	01-211948713 6-33-XXXX	215-181-3 (019-002-00-8)	Acute Tox. 4 (H302) Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.5%≤C<2% Skin Corr. 1A :: C≥5% Skin Corr. 1B :: 2%≤C<5%	-	-

					Skin Irrit. 2 :: 0.5%<=C<2%		
Sodium silicate 1344-09-8	5-15	No data available	215-687-4	No data available	-	-	-
Sodium hypochlorite 7681-52-9	1-5	No data available	231-668-3 (017-011-00-1)	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH031)	-	10	1

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Potassium hydroxide 1310-58-3	284	No data available	No data available	No data available	No data available
Sodium silicate 1344-09-8	1960	No data available	No data available	No data available	No data available
Sodium hypochlorite 7681-52-9	8910	20000	2.625	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.

Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information See section 13 for more information
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
--------------------------------	--

General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
---------------------------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	--

Storage class (TRGS 510)	Storage class 8A.
---------------------------------	-------------------

7.3. Specific end use(s)

Specific use(s)	The identified uses for this product are detailed in Section 1.2.
------------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Potassium hydroxide 1310-58-3	-	TWA: 2 mg/m ³	-	TWA: 2.0 mg/m ³	STEL: 2 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Potassium hydroxide 1310-58-3	-	TWA: 1 mg/m ³ Ceiling: 2 mg/m ³	STEL: 2 mg/m ³	TWA: 2 mg/m ³	Ceiling: 2 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Potassium hydroxide 1310-58-3	STEL: 2 mg/m ³	-	-	TWA: 2 mg/m ³ STEL: 2 mg/m ³	TWA: 2 mg/m ³ STEL: 2 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Potassium hydroxide 1310-58-3	STEL: 2 mg/m ³	-	Ceiling: 2 mg/m ³	-	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Potassium hydroxide	-	-	-	Ceiling: 2 mg/m ³	TWA: 0.5 mg/m ³

1310-58-3					STEL: 1 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³	-	-	STEL: 2 mg/m ³
Chemical name	Sweden		Switzerland		United Kingdom
Potassium hydroxide 1310-58-3	NGV: 1 mg/m ³ Bindande KGV: 2 mg/m ³		TWA: 2 mg/m ³		STEL: 2 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Potassium hydroxide 1310-58-3	-	-	1 mg/m ³ [5] [6]
Sodium silicate 1344-09-8	-	1.59 mg/kg bw/day [4] [6]	5.61 mg/m ³ [4] [6]
Sodium hypochlorite 7681-52-9	-	0.5 % in mixture (weight basis) [5] [6]	1.55 mg/m ³ [4] [6] 3.1 mg/m ³ [4] [7] 1.55 mg/m ³ [5] [6] 3.1 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Potassium hydroxide 1310-58-3	-	-	1 mg/m ³ [5] [6]
Sodium silicate 1344-09-8	0.8 mg/kg bw/day [4] [6]	-	1.38 mg/m ³ [4] [6]
Sodium hypochlorite 7681-52-9	0.26 mg/kg bw/day [4] [6]	0.5 % in mixture (weight basis) [5] [6]	1.55 mg/m ³ [4] [6] 3.1 mg/m ³ [4] [7] 1.55 mg/m ³ [5] [6] 3.1 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Sodium silicate 1344-09-8	7.5 mg/L	7.5 mg/L	1 mg/L	-	-
Sodium hypochlorite 7681-52-9	0.21 µg/L	0.26 µg/L	0.042 µg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Sodium silicate 1344-09-8	-	-	348 mg/L	-	-
Sodium hypochlorite 7681-52-9	-	-	4.69 mg/L	-	11.1 mg/kg food

8.2. Exposure controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield. Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Impervious gloves. Gloves must conform to standard EN 374.
Skin and body protection	Wear suitable protective clothing (EN ISO 6529). Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Physical state	Liquid
Color	Clear to slight yellow
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point	> 200 °C	
Autoignition temperature		No data available

Decomposition temperature		No data available
pH	12.4	1% aqueous solution
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility		Soluble in water
Solubility(ies)		No data available
Partition coefficient		No data available
Vapor pressure		No data available
Relative density		No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapor density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

VOC content 0%

9.2.1. Information with regard to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Incompatible materials.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidizing agent. Reducing agent. Ammonia.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure**Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-dust/mist)	>5 mg/l

Oral LD50 > 500 mg/kg (rat)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide	= 284 mg/kg (Rat)	-	-
Sodium silicate	= 1960 mg/kg (Rat)	-	-
Sodium hypochlorite	= 8.91 g/kg (Rat)	> 20000 mg/kg (Rabbit)	> 10.5 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium silicate 1344-09-8	-	LC50: 301 - 478mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =3185mg/L (96h, <i>Brachydanio rerio</i>)	-	-
Sodium hypochlorite 7681-52-9	-	LC50: 0.06 - 0.11mg/L (96h, <i>Pimephales promelas</i>) LC50: 4.5 - 7.6mg/L (96h, <i>Pimephales promelas</i>) LC50: 0.4 - 0.8mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 0.28 - 1mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 0.05 - 0.771mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 0.03 - 0.19mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 0.18 - 0.22mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	EC50: 0.033 - 0.044mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Potassium hydroxide	0.83

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Potassium hydroxide 1310-58-3	The substance is not PBT / vPvB
Sodium silicate 1344-09-8	The substance is not PBT / vPvB
Sodium hypochlorite 7681-52-9	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II, Marine pollutant

14.5 Environmental hazards	Yes
14.6 Special Precautions for Users	
Special Provisions	274
EmS-No.	F-A, S-B
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II, Environmentally Hazardous
14.5 Environmental hazards	Yes
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C9

ADR

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium hypochlorite), 8, II, Environmentally Hazardous
14.5 Environmental hazards	Yes
14.6 Special Precautions for Users	
Special Provisions	274
Classification code	C9
Tunnel restriction code	(E)

IATA

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hypochlorite)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide, Sodium hypochlorite), 8, II
14.5 Environmental hazards	Yes
14.6 Special Precautions for Users	
Special Provisions	A3, A803
ERG Code	8L
Note:	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Sodium hypochlorite 7681-52-9	RG 65

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Potassium hydroxide - 1310-58-3	75.	-
Sodium hypochlorite - 7681-52-9	75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Sodium hypochlorite - 7681-52-9	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Sodium hypochlorite - 7681-52-9	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 3: Veterinary hygiene Product-type 4: Food and feed area Product-type 5: Drinking water Product-type 1: Human hygiene Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
 STOT: Specific Target Organ Toxicity
 ATE: Acute Toxicity Estimate
 LC50: 50% Lethal Concentration
 LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value Sk* Skin designation
 SCBA Self-contained breathing apparatus

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	On basis of test data
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Issuing Date 21-Feb-2024

Revision Date 21-Feb-2024

Revision Note Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet